

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10794	((216/95,96,105,106) or (438/106, 127,745,754) or (148/DIG105) or (29/831,832,841,846,847,854,855)). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/10 16:11
L2	139755	(circuit\$4 WITH substrate\$4) AND semi\$1conduct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 16:11
L3	2625	L2 AND ((photo\$1resist\$4 OR resist\$4) WITH (taper\$4 OR inclin\$4 OR angle\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 16:11
L4	1595	L3 AND electrode\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 16:11
L5	815	L4 AND resin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 16:11
L6	763	L5 AND etch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 16:11
L7	9	L1 AND L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 16:13
S2	139313	(circuit\$4 WITH substrate\$4) AND semi\$1conduct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:17

S3	5845	S2 AND (laminat\$4 WITH (layer\$4 OR films\$4) WITH (metal\$4 OR conduct\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:19
S4	3764	S3 AND electro\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:19
S5	2347	S4 AND resin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:36
S6	337	S5 AND (chlori\$4 WITH etch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:20
S7	144	S6 AND ((photo\$1resist\$4 OR resist\$4) WITH taper\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:33
S8	161	S6 AND ((photo\$1resist\$4 OR resist\$4) WITH (taper\$4 OR inclin\$4 OR angle\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:32

S9	100	((("5364481") or ("5378639") or ("5327012") or ("5737000") or ("5771083") or ("6124026") or ("4874735") or ("5385867") or ("5436411") or ("5661061") or ("6070337") or ("6185068") or ("6207361") or ("6246541") or ("4273845") or ("4385102") or ("4605835") or ("4842372") or ("4976200") or ("5177668") or ("5200026") or ("5210598") or ("5291050") or ("5334544") or ("5368908") or ("5368995") or ("5457013") or ("5466567") or ("5484694") or ("5508135") or ("5516458") or ("5599744") or ("5681687") or ("5717247") or ("5719410") or ("5800973") or ("5827630") or ("5849108") or ("5851880") or ("5853819") or ("5853869") or ("5866287") or ("5879987") or ("5879854") or ("5916641") or ("6028360") or ("6028629") or ("6078492") or ("6107116") or ("6117628"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:22
S10	139755	(circuit\$4 WITH substrate\$4) AND semi\$1conduct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:22
S11	11	S9 AND S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:22
S12	26525	((photo\$1resist\$4 OR resist\$4) WITH (taper\$4 OR inclin\$4 OR angle\$4)) AND circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:33
S13	2625	S10 AND ((photo\$1resist\$4 OR resist\$4) WITH (taper\$4 OR inclin\$4 OR angle\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:35

S14	1595	S13 AND electrode\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:35
S15	815	S14 AND resin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:01
S18	6	((("20040101995") or ("20040106288") or ("20040092129") or ("20040097081") or ("20040106235") or ("20040097086"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/10 09:56
S19	763	S15 AND etch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:08
S21	317	S15 AND (etch\$4 WITH chlori\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 16:06